

EBPU

LOGIC MODEL

OUTCOMES
What difference will it make?

INTERVENTION
What is the intervention?

CHANGE MECHANISMS
How and why does your intervention work?

EBPU LOGIC MODEL

Miranda **Wolpert**, Helen **Sharpe**, Neil **Humphrey**,
Praveetha **Patalay** and Jessica **Deighton**

How to reference this document:

Wolpert M., Sharpe H., Humphrey N., Patalay P. & Deighton, J.
(2016) *EBPU Logic Model*. London: CAMHS Press

Press
CAMHS

ISBN 978-0-9931555-9-8

© CAMHSPress 2016

AIM OF THIS BOOKLET

Gaining conceptual clarity on the logic underpinning complex interventions is a key priority in child mental health and beyond.¹

A number of approaches for producing logic models for complex interventions have been developed.² We developed the EBPU Logic Model to be as simple and accessible as possible.

This one-page template for a logic model was first developed by Dr Helen Sharpe when she was working at the Evidence Based Practice Unit and has since been used in a wide variety of projects.

We find that the EBPU Logic Model helps people to clarify their thinking and enables them to debate appropriate evaluation strategies more clearly.

We have also found that even in this simplified form it still takes some time to understand how to use it and to include the right level of information in each column. We have produced this booklet to guide others through the process.

This booklet comprises the following sections:

- A blank template for the EBPU Logic Model
- A step-by-step guide on how to complete a logic model
- A worked example.

The model should be possible to apply to any intervention.

We are interested to hear from you if you use this template. Please let us know how you find it: ebpu@annafreud.org

*Miranda Wolpert, Helen Sharpe, Neil Humphrey,
Praveetha Patalay and Jessica Deighton*

February 2016

¹ Senn, B., Kirsch, M., Sanz, C. C., Karlou, C., Tulus, K., De Leeuw, J., & Ringner, A. (2013). Developing and evaluating complex interventions: the new Medical Research Council guidance. *Studies*, 59, 587-592.

² De Silva, M. J., Breuer, E., Lee, L., Asher, L., Chowdhary, N., Lund, C., & Patel, V. (2014). Theory of Change: a theory-driven approach to enhance the Medical Research Council's framework for complex interventions. *Trials*, 15(1), 267.

EBPU LOGIC MODEL

●
TARGET
Who is the intervention for?

[]

[]

[]

[]

[]

[]

● ●
INTERVENTION
What is the intervention?

[]

[]

[]

[]

[]

[]

● ● ●
CHANGE MECHANISMS
How and why does your intervention work?

[]

[]

[]

[]

[]

[]

● ● ● ●
OUTCOMES
What difference will it make?

[]

[]

[]

[]

[]

[]

● ● ● ●

[] [] [] []

[] [] [] []

MODERATORS What factors will influence the change process?

COMPLETING A LOGIC MODEL

We suggest you complete the model in the following order
(NOT simply left to right)

TARGET
Who is the intervention for?

1. TARGET POPULATION

WHO is the intervention for, who will receive the intervention?

Think about who the intervention is aimed at. This may be one group of people or several different groups (e.g. parents and children). Put in as much detail as possible about each group (e.g. age, professional characteristics, any other key attributes).

INTERVENTION
What is the intervention?

2. INTERVENTION

WHAT exactly is the nature of the intervention(s)?

Ensure that all aspects of the intervention are listed and include as much information as you can about what each component entails.

To do this, you may find it helpful to supplement the logic model with a TIDieR³ framework for each intervention. This helps you to record the name of the intervention, why it is being used, what materials are involved, what procedures are involved, who provides it, who receives it (covered in the logic model by the target population column), how it is provided, where it is provided, when it is provided and how much of it is provided, any tailoring undertaken for the particular context.

³ Hoffmann, T. C., Glasziou, P. P., Boutron, I., Milne, R., Perera, R., Moher, D., ... & Lamb, S. E. (2014). Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *BMJ*, 348, g1687.

OUTCOMES
What difference will it make?

3. OUTCOMES

WHAT do you hope will happen as result of the intervention?

The outcomes are what you hope to achieve as a result of the intervention, what impact you want to have. Make sure that your outcomes are exactly worded and agreed by all relevant stakeholders.

When designing an evaluation, it is important that you consider how quickly you would expect to see a change for a particular outcome (e.g. within a week, a month, six months). You might want to star or code outcomes as short term or long term, using whatever definition of short and long is relevant in your context.

CHANGE MECHANISMS
How and why does your intervention work?

4. MECHANISMS

HOW will the intervention lead to the outcomes that you expect?

The mechanisms are the things that link the intervention to the outcomes. Think about why it is that you think the intervention works. It is good practice to consider the academic literature when determining likely mechanisms. Your intervention may also be based on a theoretical model that can help to inform potential mechanisms.

A TRAINING INITIATIVE FOR SCHOOLS AND MENTAL HEALTH PROFESSIONALS

TARGET
Who is the intervention for?

- School Senior Leadership Team
- Educational psychologist
- Clinical Commissioning Group Mental Health
- School Leadership Team
- NHS child mental health provider
- School nurses and school counsellors

INTERVENTION
What is the intervention?

- Two face-to-face CASCADE workshops
- Online resources
- Sharing best practice at national events
-
-
-

CHANGE MECHANISMS
How and why does your intervention work?

- Airing issues
- Knowledge sharing
- Increased sense of agency of all target groups to make best use of limited resources
- Facilitation of relationships
- Encouraging and validating practice
-

OUTCOMES
What difference will it make?

- Shared view of strengths and limitations of capabilities and capacities of all target groups
- More knowledge of resources to support mental health of target groups
- More effective use of existing resources
- Improved joint working between target groups
-
-

Make sure you have a separate TIDieR framework for every discrete intervention.

Don't feel every box needs to be filled.

If you run out of the space put multiple groups in one box. Key is to have everything on one page.

MODERATORS
What factors will influence the change process?

- Resource capacity across target groups
- Senior leadership buy-in
- Target group engagement
- Policy promotion of joined-up working
- Existing joint working
- Structures in place to support joint working
- Allocation of school funding
- Mental health already in schools

WORKED EXAMPLE

A TRAINING INITIATIVE FOR SCHOOLS AND MENTAL HEALTH PROFESSIONALS

The CASCADE training for schools and mental health providers commissioned by Department of Education that EBPU and colleagues are currently delivering.

1. TARGET POPULATION

The training is for mental health professionals and for school staff.

2. INTERVENTION

Here we list the key components of workshops, online resources and events. We have also separately described the components in detail using the TIDieR approach.

3. OUTCOMES

These are worded in collaboration with the commissioners of the training. We focused on outcomes that were achievable within the time frame of the project.

4. MECHANISMS

These draw on academic literature and stakeholder views about why and how we think the intervention will lead to the outcomes.

5. MODERATING FACTORS

These are shared with funders and those undertaking the intervention to ensure that these are considered as part of the evaluation of outcomes.

6. COHERENCE CHECK

We checked that the mechanisms and outcomes reflected each of the target populations and each of the components of the intervention.

7. CHOOSING MEASURES

We agreed to use questionnaires and interviews that specifically addressed the four key outcomes and (where possible) the mechanisms.

Caring for young minds

Anna Freud Centre



The Anna Freud Centre is a children's mental health charity with over 60 years' experience of caring for young minds. Our vision is a world in which children and their families are effectively supported to build on their own strengths to achieve their goals in life.

AFC website: www.annafreud.org



Part of
**Anna Freud
Centre**



Evidence Based Practive Unit, EBPU, at the Anna Freud Centre and UCL, bridges the worlds of academic research and mental health practice, whether in clinics, schools or elsewhere. We develop and share the latest evidence with mental health professionals who want to reflect on and improve the support they provide to children, young people and their families. Our unit brings together researchers, clinicians, statisticians, graphic designers and trainers. We work with front line practitioners, service users, service managers, commissioners, policy makers and others to improve service provision by shining a light on current practice. The EBPU draws on and contributes to the latest research, and develops practical tools, training and information.

Contact EBPU by e-mail it to EBPU@annafreud.org

ISBN 978-0-9931555-9-8